



Fixings

BSF nuts and bolts, UNF nuts and bolts, Dzus fasteners, Robertson screws, Lift the dot fasteners, hose clips, Tenax fasteners and other classic car fittings.

Getting the right fittings is essential when doing a restoration or general maintenance. We offer a range of nuts and bolts, screws and washers in BSF, UNF and BA.

BSF

From 1908 this thread was the mainstay of British Engineering and was used on many vintage and classic cars, including Rolls-Royce and Bentley and are now becoming difficult to obtain. The parts we can supply can be 60 years old or more, and the older they are, the zinc plating can appear 'tinted'. This is natural and cannot always be avoided

BSF STEEL ZINC PLATED NUTS	
Size	Part No.
1/4"	097.320
5/16"	097.321

BSF BRASS NUTS	
Size	Part No.
1/4"	097.325
5/16"	097.326

BSF ZINC PLATED NYLOC NUTS	
Size	Part No.
5/16"	097.331

1/4" BSF SETSCREWS	
HT steel zinc plated hexagon head	
Size	Part No.
1/2"	097.340
1 1/2"	097.344

3/8" BSF SETSCREWS	
HT steel zinc plated hexagon head	
Size	Part No.
1/2"	097.360
3/4"	097.361
1"	097.362
1 1/2"	097.364
1 3/4"	097.363

5/16" BSF SETSCREWS	
HT steel zinc plated hexagon head	
Size	Part No.
1/2"	097.350
3/4"	097.351
1"	097.352
1 1/4"	097.353
1 1/2"	097.354
2"	097.355

1/4" BSF BOLTS	
HT steel zinc plated hexagon head, threaded length 3/4"	
Length	Part No.
1 1/4"	097.380
1 1/2"	097.381
2 1/2"	097.383
3"	097.384

3/8" BSF BOLTS	
HT steel zinc plated hexagon head, threaded length 1"	
Length	Part No.
1 1/4"	097.400
1 1/2"	097.401
2"	097.402
2 1/2"	097.403

5/16" BSF BOLTS	
HT steel zinc plated hexagon head, threaded length 7/8"	
Length	Part No.
1 1/2"	097.391
2"	097.392
4 1/2"	097.396

7/16" BSF BOLTS	
HT steel zinc plated hexagon head, threaded length 1 1/8"	
Length	Part No.
3 1/2"	097.415



ASSORTMENT OF BSF SETSCREWS NUTS & WASHERS

Zinc plated, 3/16 BSF, 1/4 BSF, 5/16 BSF and 3/8 BSF. Setscrews have hexagon heads except for 3/16 BSF which have a selection of heads. Setscrews are threaded up to the head or nearly up to the head 096.729

UNF

UNF was an American thread profile that was adopted in the British car industry in the 1960s and continued until the changeover to Metric*. Nuts are 1/16" larger across flats

UNF STEEL ZINC PLATED NUTS	
Size	Part No.
1/4"	097.220
5/16"	097.221
3/8"	097.222
7/16"	097.223
1/2"	097.224

UNF ZINC PLATED NYLOC NUTS	
Size	Part No.
1/4"	097.230
5/16"	097.231
3/8"	097.232
7/16"	097.233
1/2"	097.234

UNF BRASS NUTS	
Size	Part No.
3/8"	097.227

1/4" UNF SETSCREWS	
HT steel zinc plated hexagon head	
Length	Part No.
1/2"	097.240
3/4"	097.241
1"	097.242

5/16" UNF SETSCREWS	
HT steel zinc plated hexagon head	
Length	Part No.
1/2"	097.245
3/4"	097.246
1"	097.247
1 1/4"	097.248
2"	097.250


3/8" UNF SETSCREWS	
HT steel zinc plated hexagon head	
Length	Part No.
1/2"	097.251
3/4"	097.252
1"	097.253
1 1/4"	097.254
1 1/2"	097.255
2"	097.256

- LIGHTING
- SWITCHES
- IGNITION
- WIRING
- HEATERS & ELECTRIC FANS
- ACCESSORIES
- BODY HARDWARE
- BRAKES & SUSPENSION
- CLUTCH KITS
- EXHAUSTS
- FIXINGS**
- FUEL SYSTEMS & FILTERS
- GAUGES
- MIRRORS
- POWER STEERING
- SEATS & SEAT BELTS
- WASHERS & WIPERS
- OIL & AIR FILTERS
- CARE & STORAGE
- OIL, GREASE & FLUIDS
- PAINT & ANTI-RUST
- TOOLS


- LIGHTING
- SWITCHES
- IGNITION
- WIRING
- HEATERS & ELECTRIC FANS
- ACCESSORIES
- BODY HARDWARE
- BRAKES & SUSPENSION
- CLUTCH KITS
- EXHAUSTS
- FIXINGS**
- FUEL SYSTEMS & FILTERS
- GAUGES
- MIRRORS
- POWER STEERING
- SEATS & SEAT BELTS
- WASHERS & WIPERS
- OIL & AIR FILTERS
- CARE & STORAGE
- OIL, GREASE & FLUIDS
- PAINT & ANTI-RUST
- TOOLS

LIGHTING
SWITCHES
IGNITION
WIRING
HEATERS & ELECTRIC FANS
ACCESSORIES
BODY HARDWARE
BRAKES & SUSPENSION
CLUTCH KITS
EXHAUSTS
FIXINGS
FUEL SYSTEMS & FILTERS
GAUGES
MIRRORS
POWER STEERING
SEATS & SEAT BELTS
WASHERS & WIPERS
OIL & AIR FILTERS
CARE & STORAGE
OIL, GREASE & FLUIDS
PAINT & ANTI-RUST
TOOLS


LIGHTING
SWITCHES
IGNITION
WIRING
HEATERS & ELECTRIC FANS
ACCESSORIES
BODY HARDWARE
BRAKES & SUSPENSION
CLUTCH KITS
EXHAUSTS
FIXINGS
FUEL SYSTEMS & FILTERS
GAUGES
MIRRORS
POWER STEERING
SEATS & SEAT BELTS
WASHERS & WIPERS
OIL & AIR FILTERS
CARE & STORAGE
OIL, GREASE & FLUIDS
PAINT & ANTI-RUST
TOOLS




7/16" UNF SETSCREWS HT steel zinc plated hexagon head	
Length	Part No.
1"	097.259
1 1/4"	097.260
1 1/2"	097.261
7/16" UNF SETSCREWS	
1 1/2"	097.267




1/4" UNF BOLTS (3/4" THREAD) HT steel zinc plated hexagon head, threaded length 3/4"	
Length	Part No.
1 1/2"	097.271
1 1/2"	097.273
3"	097.274




1/2" UNF BOLTS (1 1/4" THREAD) HT steel zinc plated hexagon head, threaded length 1 1/4"	
Length	Part No.
2 1/2"	097.313
2 3/4"	097.314
3 1/4"	097.315



3/8" UNF BOLTS (1" THREAD) HT steel zinc plated hexagon head, threaded length 1"	
Length	Part No.
1 1/4"	097.290
1 1/2"	097.291
2"	097.292
2 1/2"	097.293
3"	097.294
3 1/2"	097.295
4"	097.296
4 1/2"	097.297
5"	097.298




5/16" UNF BOLTS (7/8" THREAD) HT steel zinc plated hexagon head, threaded length 7/8"	
Length	Part No.
1 1/2"	097.281
2"	097.282
2 1/2"	097.283
3"	097.284
3 1/2"	097.285
4"	097.286
4 1/2"	097.287
5"	097.288




7/16" UNF BOLTS (1 1/8" THREAD) HT steel zinc plated hexagon head, threaded length 1 1/8"	
Length	Part No.
2"	097.302
2 1/2"	097.303
3"	097.304
3 1/2"	097.305
4"	097.306




UNF SETSCREW ASSORTMENT 160 pieces, zinc plated, 3/16 UNF, 1/4 UNF and 5/16 UNF. Hexagon heads except for 3/16 UNF which have a selection of heads	
Length	Part No.
1 1/2"	090.956



SPRING WASHERS Steel, rectangular cross section	
Diameter	Part No.
1/4"	097.423
5/16"	097.424
3/8"	097.425
7/16"	097.426
1/2"	097.427



INTERNAL LOCK WASHERS	
Diameter	Part No.
1/4"	097.676
5/16"	097.677
3/8"	097.678
1/2"	097.679



EXTERNAL LOCK WASHERS	
Diameter	Part No.
1/4"	097.696
5/16"	097.697
3/8"	097.698
1/2"	097.699



BOX OF ASSORTED REPAIR WASHERS
A selection of repair washers, zinc plated, packed in a plastic box. Contains the following sizes, inside diameter first then outer diameter: 3mm x 12mm, 4mm x 20mm, 6mm x 25mm, 8mm x 25mm, 8mm x 40mm, 8mm x 50mm and 10mm x 50mm. Originally these were used to attach mudguards, but they have many other uses on a classic or vintage car
097.207



BOX OF ASSORTED FLAT STEEL WASHERS
A selection of imperial size flat steel washers, zinc plated.
Sizes: 1/8", 3/16", 1/4", 5/16", 3/8", 7/16" and 1/2"
097.206



BOX OF ASSORTED FIBRE WASHERS
Sizes: 1/4" x 3/8", 1/4" x 7/16", 5/16" x 1/2", 11/32" x 1/2", 3/8" x 5/8", 7/16" x 11/16", 15/32" x 3/4", 1/2" x 3/4", 1/2" x 7/16", 9/16" x 7/8" and 21/32" x 1"
097.209



BOX OF ASSORTED SPRING WASHERS
Imperial sizes: 1/4", 5/16", 3/8", 7/16" & 1/2". Rectangular cross-section as used on classic and vintage cars
097.208

SPREADER WASHERS

A Spreader washer is oval in shape and is used on sumps, timing covers, wings etc. to spread the clamping force and reduce leaks and gaps:

- SMALL** 12mm (1/2") wide x 21mm (7/8") long with 1/4" hole size, originally fitted to the sump/timing cover on **MGA, MGB, Sprite and Midget** but can be used on many other applications
097.210
- MEDIUM** 19mm (3/4") wide x 38mm (1 1/2") long with 1/4" hole size
097.211
- LARGE** 25mm (1") wide x 51mm (2") long with 5/16" hole size, was used on the front wings of the **MGA and MGB**
097.212



O RINGS METRIC IN BOX
Approx. 419 PCS
097.436

BUMPER BOLTS

Bumper bolts have two flats under the domed head to prevent them turning in the bumper. Supplied with nut and spring washer



BUMPER BOLT 5/16" UNF
Length 22mm (7/8") under the head and was originally fitted to the top of the **MGA** front bumper behind the overriders. Chromed
097.200



BUMPER BOLT 3/8" UNF
Length 25mm (1") under the head & was originally fitted to the outer edge of the **MGA** rear and front bumper and the **Austin Healey Sprite Mk I** bumpers. Chromed
097.201



BUMPER BOLT 3/8" UNF
Length 35mm (1 3/8") under the head: Chromed
097.202



BUMPER BOLT 3/8" UNF
Length 51mm (2") under the head and was originally fitted to the centre of the **MGA** rear bumper. Chromed
097.204

- LIGHTING
- SWITCHES
- IGNITION
- WIRING
- HEATERS & ELECTRIC FANS
- ACCESSORIES
- BODY HARDWARE
- BRAKES & SUSPENSION
- CLUTCH KITS
- EXHAUSTS
- FIXINGS**
- FUEL SYSTEMS & FILTERS
- GAUGES
- MIRRORS
- POWER STEERING
- SEATS & SEAT BELTS
- WASHERS & WIPERS
- OIL & AIR FILTERS
- CARE & STORAGE
- OIL, GREASE & FLUIDS
- PAINT & ANTI-RUST
- TOOLS




Back in the 1890s, the British Association for Advancement of Science (BA) realised there were no English screw threads standards for small electrical and scientific equipment, so they proposed the BA system. The most common one you are likely to come across today is 2 BA. Often found on Lucas equipment

BOX OF ASSORTED BA SCREWS AND NUTS

(Left) Zinc plated steel with slotted round heads. Contains 6BA x 3/4", 6BA Nuts, 4BA x 3/4", 4BA Nuts, 2BA x 1/2", 2BA x 3/4", 2BA x 1 in, 2BA x 1 1/2", 2BA x 2" and 2BA Nuts

097.219

	
2BA RAISED COUNTERSUNK SCREWS Steel, chrome plated with screwdriver slot in polished head	
Length	Part No.
12.5mm	097.216
25mm	097.217
38mm	097.218

	
2BA ROUND HEAD SCREWS - STEEL Chrome plated with screwdriver slot in head, with nut	
Length	Part No.
1 1/2"	097.336
Nut only	097.337

SELF TAPPING SCREWS



BOX OF ASSORTED SELF TAPPING SCREWS

A selection of self tapping screws with slotted pan heads, zinc plated. Contains the following sizes, size first, then length: 8 x 1/2", 10 x 1/2", 10 x 3/4", 10 x 1", 10 x 1 1/2", 12 x 3/4", 12 x 1" and 12 x 1 1/2"

097.430



SELF TAPPING TRIM SCREWS

Size 6 x 1/2" Colour black
097.491



SELF TAPPING TRIM SCREWS

Size 8 x 1/2" Colour black
097.492

SPLIT PINS & POP RIVETS



BOX OF ASSORTED SPLIT PINS

A selection of split pins. Contains the following sizes, diameter first, then length: 1/16" x 1/8", 5/64" x 7/8", 5/64" x 1 1/8", 3/32" x 1 1/4", 7/64" x 1 3/4", 3/8" x 1 1/4" and 3/32" x 1 5/8".

097.431



POP RIVETS

3.2mm Alloy Pop Rivets
10mm long

097.433

4.8mm Alloy Pop Rivets with large flange 12mm long

097.434