

- LIGHTING
- SWITCHES
- IGNITION
- WIRING
- HEATERS & ELECTRIC FANS
- ACCESSORIES
- BODY HARDWARE
- BRAKES & SUSPENSION
- CLUTCH KITS
- EXHAUSTS
- FIXINGS
- FUEL SYSTEMS & FILTERS
- GAUGES
- MIRRORS
- POWER STEERING
- SEATS & SEAT BELTS
- WASHERS & WIPERS
- OIL & AIR FILTERS
- CARE & STORAGE
- OIL, GREASE & FLUIDS
- PAINT & ANTI-RUST**
- TOOLS

- LIGHTING
- SWITCHES
- IGNITION
- WIRING
- HEATERS & ELECTRIC FANS
- ACCESSORIES
- BODY HARDWARE
- BRAKES & SUSPENSION
- CLUTCH KITS
- EXHAUSTS
- FIXINGS
- FUEL SYSTEMS & FILTERS
- GAUGES
- MIRRORS
- POWER STEERING
- SEATS & SEAT BELTS
- WASHERS & WIPERS
- OIL & AIR FILTERS
- CARE & STORAGE
- OIL, GREASE & FLUIDS
- PAINT & ANTI-RUST**
- TOOLS



Paint & Anti-Rust

Stockists of POR-15 anti rust treatments. Neutrurust 661 stockist. Waxoyl rustproofing for classic cars..

NEUTRARUST

Classified as a non-hazardous water-based anti-rust treatment for rusted metal surfaces. This incredible product provides up to 6 years of protection, is manufactured in the UK and is hailed by many as THE Original and Best Rust Converter and has led the way in corrosion control for over 35 years!

- MOD & NATO Approved
- Easy to apply & improves the appearance
- Manufactured in the UK - THE ORIGINAL
- Primer compatible with most paints
- Specially used against salt spray for sea-going vessels and oil rig applications
- Produces a hard water-insoluble shiny black finish

The strength and durability of Neutrurust 661 is quite simply amazing, but the ease of use is perhaps its greatest asset, Neutrurust 661 requires minimal surface preparation time. The corroded surface requires minimal preparation yet the adhesive strength is incredible. We recommend two coats to ensure a complete seal.

It can be over-painted. It is water-based and safe to use, transport and store, it is easily applied and simply painted onto rust. Formulated to remove moisture and oxygen, the two main components that cause the degenerative process. It also seals the area to prevent further ingress. Clean off any oil, grease, minerals and loose flakes of rust. Brush or spray on to surface.



NEUTRARUST 661 RUST CONVERTER

Coverage is 10 to 12 square meters per liter offering great value

- 250ml
097.892
- 1litre
097.893
- 5 litres
097.894



SUPER STARTER KIT

The POR-15 Super Starter Kit enables you to try out the entire 3-step rust stopping system. The kit contains: POR-15 Cleaner Degreaser ½ pint, POR-15 Metal Prep ½ pint, POR-15 Black Rust Preventative Coating 4oz (enough to cover 6 square feet with 2 coats), two wooden handle paint brushes and a pair of latex gloves

097.599

SEE OUR VIDEOS ON OUR WEBSITE WWW.HOLDEN.CO.UK

It's different that's why it WORKS!

Before: Acid damaged & rusty battery trays are a common problem. Fix this or any rust permanently with POR-15.

Step 1: First remove loose rust - firm rust is good! Then degrease carefully with water-based Marine Clean.

Step 2: Next, neutralize rust and prep with Metal-Ready

Step 3: After thorough drying, coat with POR-15 (use thin coats), right on to the rust (we used POR-15 Rust Preventative coating - gray)

Step 4: Next, top coat with Chassis Coat Black, Blackcoats, or Stirling Silver

After: Now you have a permanently repaired battery tray, that will NOT rust again, even with an old leaky battery!

Exclude air & water & stop rust for ever - You know what happens when you push a rusty nail into a tin of grease - the proof is there!

So - all you need is a tough, non-porous, waterproof, flexible coating that bonds securely to rust.

POR-15 is such a coating!

Technical information:

POR-15 is non porous because it cures by reacting with the atmosphere - from the outside inwards, NOT by evaporation of solvents, which leaves microscopic pinholes, these cause the eventual failure of other types of coatings. POR-15 will also:

- Bond with secure rust
- Is very flexible
- Is very tough
- Will permanently kill rust

Step 1:



CLEANER DEGREASER

Cleans and degreases in one application without leaving residues, noxious fumes or flammable solvents. It makes other cleaners almost obsolete because it can be diluted with water up to 3, 4, 5 and even 10 times its volume while remaining potent. Removes grease, oil, mildew, algae, musty odors, soap films and wax

Quart (0.946 litres)
094.921

Gallon (3.785 litres)
097.500

Step 2:



METAL PREP

Provides the best adhesion for POR-15 on any metal surface, including shiny polished metal surfaces and aluminum. The simple process gently etches metal, creating an ideal anchor pattern for coatings, whilst leaving a zinc phosphate coating to insure chemical bonding of paint and steel. Metal Prep is environmentally safe and is not caustic, corrosive, toxic or flammable

US quart (0.946 litres)
094.922

Gallon (3.785 litres)
097.501

Step 3:



POR-15 RUST PREVENTATIVE COATING

A high-tech/performance rust-preventive coating designed for application directly on rusted or seasoned metal surfaces. It dries to an incredible rock hard, non-porous finish that won't chip, crack, or peel, and it prevents rust from recurring by protecting metal from further exposure to moisture. Use it to coat rusty frames, floor pans, etc.

097.527 Black (0.473 litre)

094.924 Semi-gloss Black (0.473 litre)

097.519 Semi-gloss Black (0.946 litre)

094.923 Grey (0.473 litre)

097.518 Grey (0.946 litre)

094.929 Silver (0.473 litre)

097.573 Clear (0.473 litre)

Six Pack: Contains six 4oz cans, so you'll only open small amounts, as you need them, with NO WASTE! Each can covers 12 square feet. The pack is enough to cover 72 square feet

097.528 Black



POR-15 SOLVENT

Especially formulated for easy cleanup or thinning of POR-15 Rust Preventive Paint and Topcoats

Quart (0.946 litres)

094.927



PAINT BRUSHES - 0.5 IN

In response to requests we are now offering this cheap disposable Paint Brush, for use with POR-15 Rust Preventative Paint and other paints where it is difficult to clean the brush properly, it is better to throw it away and use another. These brushes are intended for base coats, for a high class finish on top coats we suggest that you find a quality brush. Sold in packs of six

097.579

POR-15 ENGINE ENAMELS

Extra-pigment Engine Enamels have been formulated by RestoMotive Laboratories to be the best and most beautiful engine enamels you can buy. POR-15 Engine Enamels are available in incredibly rich colors that flow easily, cover better than any other paint, and last longer. They are non-flammable and conform to even the strictest California environmental standards.

Typically, a pint (0.473 litres) is enough for an entire engine, and by using Prep & Ready 094.922/097.501 you can use this Engine Enamel direct onto most steel and aluminium parts. Suitable for all engine parts except exhaust systems

Step 4:

TOP COAT CHASSIS IN BLACK, BLACK GLOS OR SILVER. SEE BELOW



TOP COAT CHASSIS BLACK

A permanent black, smooth satiny SEMI-GLOSS coating developed for application over painted & unpainted surfaces. Apply over POR-15 Rust Preventive Paint for the toughest, most permanent protection against rust and corrosion ever developed.

094.930 US pint (0.473 litres)

097.526 US quart (0.946 litres)
Previously called Chassis Coat Black



TOP COAT GLOSS BLACK

A beautiful permanent GLOSS black coating developed for application over painted and unpainted surfaces.

Apply over POR-15 Rust Preventive Paint for the toughest, most permanent protection against rust and corrosion ever developed

094.928 US pint (0.473 litres)

097.525 US quart (0.946 litres)



TOP COAT SILVER

A permanent medium-gloss silver coating developed for application over painted & unpainted surfaces. Apply over POR-15 Rust Preventive Paint for the toughest, most permanent protection against rust and corrosion ever developed.

097.513 US pint (0.473 litres)

Previously called Stirling Silver



HIGH BUILD PRIMER

A high build primer that is the perfect intercoat for jobs requiring a primer with fill/build properties. Whether coating over POR-15 Rust Preventive Paint, or any other coating. It's highly resistant to penetrating topcoats, like lacquers, enamels, and 2-component finishes. It sands very smoothly, as well

094.965 Pint (0.473 litres)

094.932 Quart (0.946 litres)



POR-15 AP120 ALLOY PREP

Should always be used when painting directly onto aluminium, brass, copper and other reactive materials to ensure a perfect bond. Apply by brush or spray, keep wet for two minutes and then wash off with water, dry surface and then apply POR-15 or other paint. Instructions are on the bottle.

0.59 litre
097.517



2K URETHANE PAINT

A tough, glossy two-part paint for use over primed or painted surfaces. Being POR-15 it is moisture cured and when cured it is rock hard, chemical resistant, non-porous and very tough. It will not crack, chip, peel or fade with age. Ideal for car chassis or motorcycle frames

White 0.946 litre

097.591

These paints were previously called Hardnose Paint



ENGINE ENAMEL PAINT

Austin Healey Green (0.473 litre)

094.917



ENGINE ENAMEL PAINT

Black (0.473 litre)

094.915



ENGINE ENAMEL PAINT

Chevrolet Orange (0.473 litre)

094.919



ENGINE ENAMEL PAINT

Ford Blue (0.473 litre)

094.916



ENGINE ENAMEL PAINT

Ford Red (0.473 litre)

094.964



ENGINE ENAMEL PAINT

MG Maroon (0.473 litre)

094.918

LIGHTING

SWITCHES

IGNITION

WIRING

HEATERS & ELECTRIC FANS

ACCESSORIES

BODY HARDWARE

BRAKES & SUSPENSION

CLUTCH KITS

EXHAUSTS

FIXINGS

FUEL SYSTEMS & FILTERS

GAUGES

MIRRORS

POWER STEERING

SEATS & SEAT BELTS

WASHERS & WIPERS

OIL & AIR FILTERS

CARE & STORAGE

OIL, GREASE & FLUIDS

PAINT & ANTI-RUST

TOOLS

LIGHTING

SWITCHES

IGNITION

WIRING

HEATERS & ELECTRIC FANS

ACCESSORIES

BODY HARDWARE

BRAKES & SUSPENSION

CLUTCH KITS

EXHAUSTS

FIXINGS

FUEL SYSTEMS & FILTERS

GAUGES

MIRRORS

POWER STEERING

SEATS & SEAT BELTS

WASHERS & WIPERS

OIL & AIR FILTERS

CARE & STORAGE

OIL, GREASE & FLUIDS

PAINT & ANTI-RUST

TOOLS



HIGH TEMPERATURE FLAT BLACK

This is the only black paint capable of withstanding extreme temperatures up to 1200°F (649°C). This high temp paint will maintain a rich black color and won't burn off. Can be used on all cars, domestic or foreign, and can be brushed or sprayed. It meets or exceeds properties and requirements of MIL-C-13370.

8oz can
094.939
 Previously called Black Velvet



HIGH TEMPERATURE MANIFOLD GRAY

A high temperature gray paint capable of withstanding extreme temperatures up to 1400°F (760°C). This high temp paint will maintain a durable iron gray colour and won't burn off. Can be used on all cars, domestic or foreign, and it meets or exceeds properties and requirements of MIL-C-13370.

8oz can
094.938



HIGH TEMPERATURE ALUMINIUM

This aluminum high temperature paint is capable of withstanding up to 1400°F (760°C). POR-20 is also extremely weather, salt and moisture resistant. Helps prevent cracking, chipping, peeling & can be brushed or sprayed. POR-15 say: "You will be excited by its performance and beauty".

8oz can
094.937

POR-15 BED LINER



POR-15 OEM BED LINER - 0.946 LITRES (US QUART)

A water-based, rubberized coating. Sold for protecting truck beds, but can be used on all metal, aluminium, fiberglass, and wood surfaces that are exposed to impact and scuff related environments and all those places in the car and underneath that need protection from the elements. Gives a textured semi-gloss black finish. Can be brushed or sprayed. Surface preparation should include cleaning and surface abrasion using 80 - 120 grit sandpaper. Can be cleaned up with soap and water and does not have a limiting pot life. Any unused product can be resealed in its container and used later for touch-up or on other projects. For the ultimate in protection apply over POR-15 Rust Preventive Coating.

0.946 litres
097.991

POR-15 CALIPER PAINT



CALIPER PAINT

Specially formulated with ceramic resins for a perfect glazed finish, POR-15 Caliper Paint withstands temperatures of up to 500 deg F, 260 deg C, continuous and resists brake dust. Guaranteed not to chip, crack or peel. Whenever your Calipers get dirty clean them with anything you like; the POR-15 Caliper Paint will stand up to just about anything.

0.236 litre (US 8 oz)
 Silver **097.595**
 Black **097.596**
 Red **097.597**

FUEL TANK RESTORATION PROCESS USING THE POR-15 FUEL TANK REPAIR KIT



SCAN ME



<https://www.youtube.com/watch?v=p1Ga0WcmkNA>

If you are looking for any practical advice, we have a large number of instructional videos on YouTube. The video above explains the motorcycle fuel tank restoration process using the POR-15 fuel tank repair kit. You can find all our videos on YouTube, search for our Holden Vintage & Classic channel.

These are leading products from America and contain everything you need to enable you to clean and seal pinholes and seams from the inside of your fuel tank. Contains Cleaner Degreaser (previously called Marine Clean) to remove gum, varnish and sludge, Metal Prep (previously called Metal Ready) to remove rust and prepare the tank for the sealer and Tank Sealer to permanently seal the tank. The Tank Sealer has been specially developed to provide a sealer impervious to all fuels and be non-flammable and environmentally safe (no methyl ethyl ketone). Full instructions are supplied



FUEL TANK REPAIR KIT

Contains everything you need to enable you to clean and seal pinholes and seams from the inside of your fuel tank. Repairing the fuel tank is more than just pouring in a quart of sealer and sloshing it around. If gum, sludge, or fuel are inside, they must be removed first, as tank sealers will not work. Kit contains:

- POR-15 Cleaner Degreaser (2 Quarts each 0.946 litres) to remove gum, sludge, varnish
- POR-15 Metal Prep (Quart 0.946 litres) to remove rust & prepare tank for U.S. Standard Tank Sealer to permanently seal tank
- POR-15 U.S. Standard Fuel Tank Sealer (Quart 0.946 litres) creates a permanently sealed tank
- Detailed instructions so you'll do the job right

094.940



Please see our video on YouTube, more information above

MOTORCYCLE FUEL TANK REPAIR KIT

Designed for the special needs of bikes and other small fuel tanks such as recreational vehicles, snowmobiles, outboards, generators, etc. Kit Contains:

- POR-15 Cleaner Degreaser (Quart 0.946 litres) to remove gum, sludge, varnish
- POR-15 Metal Prep (Quart 0.946 litres) to remove rust & prepare tank for U.S. Standard Tank Sealer to permanently seal tank
- POR-15 U.S. Standard Fuel Tank Sealer (8 oz 0.236 litres) creates a permanently sealed tank
- Cloth patch for sealing large holes or reinforcing weak areas
- Foam brush for applying patching system to exterior of tank
- Detailed instructions to take you through each step of tank restoration

094.943

- LIGHTING
- SWITCHES
- IGNITION
- WIRING
- HEATERS & ELECTRIC FANS
- ACCESSORIES
- BODY HARDWARE
- BRAKES & SUSPENSION
- CLUTCH KITS
- EXHAUSTS
- FIXINGS
- FUEL SYSTEMS & FILTERS
- GAUGES
- MIRRORS
- POWER STEERING
- SEATS & SEAT BELTS
- WASHERS & WIPERS
- OIL & AIR FILTERS
- CARE & STORAGE
- OIL, GREASE & FLUIDS
- PAINT & ANTI-RUST
- TOOLS



U.S. STANDARD FUEL TANK SEALER

U.S. Standard Fuel Tank Sealer was formulated and developed by POR-15 due to the demand for a high-tech sealer impervious to all fuels, including the new Stage II fuels which have a high alcohol content. It has superior strength & fuel resistance, & does not contain Methyl Ethyl Ketone (cancer-causing). It is non-flammable and is environmentally safe for motorcycle size tank

094.967 0.236 litre

094.941 0.473 litre

094.969 0.946 litre for 25 gallon tank

SUNDRIES



POWERMESH

A special fibreglass reinforcing fabric that can be used with POR-15 Rust Preventive paint to bridge gaps and repair holes in sheet metal. It stays nice and flat while you coat it with POR-15 paints or use with POR-15 Epoxy Putty. Size 1 square yard


097.514



PORPATCH

This is POR-15 in a tube. It is a filler, a sealer and an adhesive. Can be applied over rust. Dries hard as a rock, remains flexible and once dry is totally impervious to fuels and solvents. 4 oz Black

094.980



WET & DRY PAPER

Traditional Wet & Dry abrasive sheet 230mm x 280mm (9 in x 11 in)

095.200 P1200. Suitable for final flattening down

095.201 P600 Grade

095.203 P320 Grade

095.205 Six assorted sheets. Two P1200, two P600 and two P320

SPECIALITY PAINTS



HYCOTE WRINKLE FINISH SPRAY PAINT

VHT highly textured wrinkle finish black spray paint. Ideal for dashboards, electrical components, radio chassis and cabinets and trim gauges. You can reproduce older interiors and components effortlessly with this easy to use spray can. VHT highly textured wrinkle finish black spray paint will give an original finish to your classic vehicle or components. This is the type of finish used on the MGB or Midget dashboard. 400ml aerosol

090.024

- LIGHTING
- SWITCHES
- IGNITION
- WIRING
- HEATERS & ELECTRIC FANS
- ACCESSORIES
- BODY HARDWARE
- BRAKES & SUSPENSION
- CLUTCH KITS
- EXHAUSTS
- FIXINGS
- FUEL SYSTEMS & FILTERS
- GAUGES
- MIRRORS
- POWER STEERING
- SEATS & SEAT BELTS
- WASHERS & WIPERS
- OIL & AIR FILTERS
- CARE & STORAGE
- OIL, GREASE & FLUIDS
- PAINT & ANTI-RUST**
- TOOLS