

LIGHTING
SWITCHES
IGNITION
WIRING
HEATERS & ELECTRIC FANS
ACCESSORIES
BODY HARDWARE
BRAKES & SUSPENSION
CLUTCH KITS
EXHAUSTS
FIXINGS
FUEL SYSTEMS & FILTERS
GAUGES
MIRRORS
POWER STEERING
SEATS & SEAT BELTS
WASHERS & WIPERS
OIL & AIR FILTERS
CARE & STORAGE
OIL, GREASE & FLUIDS
PAINT & ANTI-RUST
TOOLS

LIGHTING
SWITCHES
IGNITION
WIRING
HEATERS & ELECTRIC FANS
ACCESSORIES
BODY HARDWARE
BRAKES & SUSPENSION
CLUTCH KITS
EXHAUSTS
FIXINGS
FUEL SYSTEMS & FILTERS
GAUGES
MIRRORS
POWER STEERING
SEATS & SEAT BELTS
WASHERS & WIPERS
OIL & AIR FILTERS
CARE & STORAGE
OIL, GREASE & FLUIDS
PAINT & ANTI-RUST
TOOLS



Accessories

Classic car number plates, car badges and stickers, badge bars and boot racks. Heat protection and fire extinguishers. Hand made leather bonnet straps and luggage straps.

From UJ Stickers to boot racks, here you will find lots of goodies for your car, from alloy rocker covers to badge bars. In addition, we have many bonnet and luggage straps, all handmade in the UK from the best leather. Also, an excellent range of GB plates for travelling to the continent on that lovely touring holiday.

GB & UK PLATES



GB PLATE
Sticker. Black letters on a white oval with an adhesive backing. 97mm x 63mm
094.343



GB PLATE
Black letters on a white oval with an adhesive backing. 105mm x 69mm
094.347



GB PLATE
Chrome letters on a black oval with an adhesive backing. 105mm x 69mm
094.348



GB PLATE
Small GB letters in an oval frame. Adhesive backed. Frame is 100 x 75mm
094.342



GB PLATE
Union Flag GB letters. Stick on. 79mm high
090.370



UK PLATE
Printed on high quality adhesive chrome vinyl to compliment the older style number plates and then coated with a domed gel coat to give a raised hard wearing high gloss finish. 100mm x 58mm
094.488



UK PLATE
Printed on high quality adhesive chrome vinyl to compliment the older style number plates and then coated with a domed gel coat to give a raised hard wearing high gloss finish. 100mm x 58mm
094.489



UK PLATE
Printed on high quality adhesive chrome vinyl to compliment the older style number plates and then coated with a domed gel coat to give a raised hard wearing high gloss finish. 100mm x 58mm
094.487



UK PLATE
80mm tall adhesive UK letters in chrome
094.3002



UK PLATE
80mm tall adhesive UK letters in silver
094.3003

As from 28 September 2022 it is not legal to drive a car overseas with a 'GB' plate, all vehicles must now show a 'UK' plate



MG MIDGET IV/1500/TRIUMPH SPITFIRE ROCKER COVER
Polished aluminium with pipe for breather
015.310



MIDGET 1500/TRIUMPH SPITFIRE ROCKER COVER
Aluminium with black crackle finish and polished ribs with pipe for breather and chromed oil filler cap
015.315



TRIUMPH TR5 & TR6 ROCKER COVER
Polished aluminium, with oil filler cap, for TR5, TR6 and all 6 cylinder Triumphs
015.301



MGB ROCKER COVER
Aluminium with black crackle finish and polished ribs with 'MG' cast in to the rocker cover and chromed oil filler cap
015.314



TRIUMPH TR2/3/4/4A MORGAN +4 ROCKER COVER
Polished aluminium, with oil filler cap. (It should be noted that the Morgan Plus 4 has to have the Triumph engine for this Rocker Cover to fit)
015.311



CLASSIC MINI/MIGET/AUSTIN HEALEY SPRITE ROCKER COVER
Polished aluminium, with chromed oil filler cap
015.304



MGA/MGB ROCKER COVER
Polished aluminium, with oil filler cap and 'MG' cast into the rocker cover
015.307



MAGNETIC SUMP PLUG FOR BMC A & B SERIES
Designed to pick up iron and steel particles and stop them circulating with the engine oil. Replaces the standard Drain Plug. Remove at regular intervals, clean and replace. If the Plug collects a large amount of debris it is important to LOOK FOR THE CAUSE! Supplied with washer
032.020



CHROME BREATHER
Fits to 13mm (1/2") diameter tube using the hose clip supplied
015.313

BADGES, TRANSFERS & STICKERS

Four Badges, chrome on ABS for mounting on your grille or on any flat surface. Approx 89mm diameter



GREAT BRITAIN GRILLE BADGE
092.215



SCOTLAND GRILLE BADGE
092.216



WALES GRILLE BADGE
092.217



ST. CHRISTOPHER GRILLE BADGE
092.218

LIGHTING
SWITCHES
IGNITION
WIRING
HEATERS & ELECTRIC FANS
ACCESSORIES
BODY HARDWARE
BRAKES & SUSPENSION
CLUTCH KITS
EXHAUSTS
FIXINGS
FUEL SYSTEMS & FILTERS
GAUGES
MIRRORS
POWER STEERING
SEATS & SEAT BELTS
WASHERS & WIPERS
OIL & AIR FILTERS
CARE & STORAGE
OIL, GREASE & FLUIDS
PAINT & ANTI-RUST
TOOLS

LIGHTING
SWITCHES
IGNITION
WIRING
HEATERS & ELECTRIC FANS
ACCESSORIES
BODY HARDWARE
BRAKES & SUSPENSION
CLUTCH KITS
EXHAUSTS
FIXINGS
FUEL SYSTEMS & FILTERS
GAUGES
MIRRORS
POWER STEERING
SEATS & SEAT BELTS
WASHERS & WIPERS
OIL & AIR FILTERS
CARE & STORAGE
OIL, GREASE & FLUIDS
PAINT & ANTI-RUST
TOOLS



**UNION JACK/
CHEQUERED FLAG
ENAMELLED/ADHESIVE**

A Union Jack and a chequered flag in one metal badge.

095.894 Width 43mm
095.895 Width 50mm



**UNION JACK/
CHEQUERED FLAG
ENAMELLED/ADHESIVE**

A Union Jack crossed with a chequered flag in one metal badge. Width 50mm

095.899



**UNION JACK
ENAMELLED/ADHESIVE**

A flying Union Jack. Width 25mm

090.843 Nickel/Black (top)
090.844 Red/White/Blue



NETHERLANDS FLAG ADHESIVE BADGE

An enamelled adhesive badge for your car. 50mm x 29mm

095.804



ENGLAND CRUSADER SHIELD

Crusader/England Badge, 30x42mm Enamel

095.814



CASTROL OILS STICKER

Car bodywork sticker. 267x317mm

090.705



UNION JACK STICKERS

70 x 40mm

090.697



UNION JACK STICKER

140 x 83mm

090.698



UNION JACK STICKER

230 x 145mm

090.699



**SPECIAL TUNING ROSETTE
TRANSFER**

"BMC Special Tuning Abingdon" rosette transfer

090.706



**BMC
ROSETTE TRANSFER**

"BMC British Motor Corporation" rosette transfer. For sticking to the INSIDE of a window

090.707



**SPECIAL TUNING ABINGDON
TRANSFER**

"British Leyland Special Tuning Abingdon" transfer, 78 x 95mm

090.814



UNION JACK STICKERS

80 x 50mm

090.709



**UNION JACK
ENAMELLED BADGES**

A pair of enamelled Union Jacks for each side of your car. 50 x 30mm

090.719



**UNION JACK
ENAMELLED/ADHESIVE**

Enamelled, adhesive metal badge 51 x 29mm

090.838



BRANDS HATCH BADGE

Enamelled adhesive shield featuring an outline of the Brands Hatch race circuit on a dark green background. 45mm x 60mm

090.835



SILVERSTONE BADGE

Enamelled adhesive badge in the shape of the classic Silverstone GP circuit. Dark green. 51mm x 65mm

090.834



HOCKENHEIM BADGE

Enamelled adhesive shield featuring an outline of the Hockenheim race circuit on a silver background. 45mm x 60mm

090.833



NURBURGRING BADGE

Chromed adhesive badge in the shape of the full Nurburgring circuit. 60mm x 45mm

090.836



**UNION JACK
ENAMELLED/ADHESIVE**

Enamelled, adhesive metal badge 38 x 21mm

090.837



**STARS & STRIPES
ADHESIVE BADGE**

An adhesive 'USA Stars & Stripes'. 50 x 29mm

095.896



**CHEQUERED FLAG
ENAMELLED/ADHESIVE**

Enamelled, adhesive metal badge

090.829



ITALIAN FLAG ADHESIVE BADGE

An enamelled adhesive badge for your car. 38mm x 21mm

090.839



ITALIAN FLAG ADHESIVE BADGE

An enamelled adhesive badge for your car. 50mm x 29mm

095.898



GERMAN FLAG ADHESIVE BADGE

An enamelled adhesive badge for your car. 50mm x 29mm

095.897

BADGES, BADGE BARS & MASCOT



BADGE BAR - CURVED

Curved badge bar 18" with chrome legs

090.1008

Curved badge bar 22" with chrome legs

090.310

Curved badge bar 24" with chrome legs

090.1009



BADGE BAR - ABOVE NUMBERPLATE

If you have space above your number plate this is a neat way of mounting badges on a badge bar. This straight stainless steel bar (565mm long and 19mm diameter) is supplied with two stainless steel brackets that you can fit behind your numberplate (you can mount two badges direct on here). Also included are four badge clips, chrome plated on brass

090.345



BADGE BAR - STRAIGHT

19mm diameter. (Badge bar clips available separately 090.320CLIP or 090.1002)

Straight badge bar 15" with chrome legs

090.312

Straight badge bar 18" with chrome legs

090.311

Straight badge bar 22" with chrome legs

090.309

Straight badge bar 24" with chrome legs

094.297



BADGE BAR - MGA
Curved chrome plated Badge Bar for MGA. 19mm diameter and approximately 730mm length. Supplied without clips, use 090.320CLIP
094.063



SINGLE LEG BADGE BAR
Single leg badge bar 9" holds 2 badge
090.313



BADGE BAR CLIPS
For 19mm (3/4") badge bars
090.320CLIP
For 25mm (1") badge bars
090.536



DESMO BADGE BAR CLIPS
Badge Bar Clip 19mm (3/4") Desmo England
090.1002



GT BADGE
Adhesive, enamel & chrome on metal, for sticking on your car. Width 60mm
090.845 Chrome only
090.846 Chrome/Blue
090.847 Chrome/Black
090.848 Chrome/Red (shown)



V8 BADGE
Adhesive, chrome on plastic, for sticking on your car. Width 105mm
090.832



UNION JACK KEY FOB
Key fob with an enamelled Union Jack mounted on a quality leather fob.
091.789



GREAT BRITAIN
Chrome on brass badge, approx size 111 x 92mm
092.210



WALES
Chrome on brass badge, approx size 111 x 92mm
092.212



ST. CHRISTOPHER
Chrome on brass badge, approx size 111 x 92mm
092.213



AA BADGE
Reproduction of an original AA Badge
095.811

AEROSCREENS



AEROSCREENS
Choice of two made with Triplex laminated glass conforming to RAC competition regulations. Polished aluminium frame with chrome fittings. Width 406mm (16")
090.138 Radiused head
090.139 Square cut head



Aeroscreen support brackets including Allen key and rubbers. Either a spare part or for fitting to your other car enabling you to transfer your aeroscreen over. See inset
090.096



AC COBRA SIDESCREENS
With chrome fittings:
040.040 Toughened glass
040.040P Perspex
040.045 Perspex, as above but undrilled
040.044 Spare Hinge Set (Right)



SUN VISORS

Made from tinted perspex with chrome friction hinges. 105mm x 350mm

Smoke (Left)
040.041
Green (left)
040.042



Blue (Right)
040.043

Hinges, set of 2 (Right)
040.068



BOOT RACKS

The 'Works Pattern' Boot Racks on these two pages are designed and tailor made for permanent fitment to specific cars and are supplied with all fittings




MG TF BOOT RACK

Tailor made to fit above the petrol tank and spare wheel of the MG TF. Shown.

094.084 Chrome plated




These boot racks are designed and tailor made for permanent fitment to specific cars and are supplied with all fittings



TR2/3/3A BOOT RACK

Tailor made to fit the boot lid of the TR2/3/3a. Fits to boot hinges at the front and clamps under the lip of the boot at the rear. Brackets, bolts, nuts, washers and gaskets supplied

094.097 Stainless steel




MG MIDGET BOOT RACK

Tailor made in stainless steel to fit the boot lid of the MG Midget/Austin Healey Sprite (not Frogeye). Fitting requires 4 holes in the boot lid. Bolts, nuts, washers and gaskets supplied

094.095

These boot racks can be used on the boot lids of many models of classic car. They sit on four rubber feet on the boot lid and are retained on the edge of the lid by adjustable clamps. The clamps can be fitted to either the outer (as shown below) or inner bars. Alternatively, the four feet are tapped M6 and it would be possible to bolt through your boot lid into the feet to secure the rack permanently. The racks have a raised section at the back to retain your luggage



UNIVERSAL BOOT RACKS

Platform size 880mm wide x 375mm deep
Polished aluminium tube


092.723

- LIGHTING
- SWITCHES
- IGNITION
- WIRING
- HEATERS & ELECTRIC FANS
- ACCESSORIES
- BODY HARDWARE
- BRAKES & SUSPENSION
- CLUTCH KITS
- EXHAUSTS
- FIXINGS
- FUEL SYSTEMS & FILTERS
- GAUGES
- MIRRORS
- POWER STEERING
- SEATS & SEAT BELTS
- WASHERS & WIPERS
- OIL & AIR FILTERS
- CARE & STORAGE
- OIL, GREASE & FLUIDS
- PAINT & ANTI-RUST
- TOOLS

- LIGHTING
- SWITCHES
- IGNITION
- WIRING
- HEATERS & ELECTRIC FANS
- ACCESSORIES
- BODY HARDWARE
- BRAKES & SUSPENSION
- CLUTCH KITS
- EXHAUSTS
- FIXINGS
- FUEL SYSTEMS & FILTERS
- GAUGES
- MIRRORS
- POWER STEERING
- SEATS & SEAT BELTS
- WASHERS & WIPERS
- OIL & AIR FILTERS
- CARE & STORAGE
- OIL, GREASE & FLUIDS
- PAINT & ANTI-RUST
- TOOLS

LIGHTING
SWITCHES
IGNITION
WIRING
HEATERS & ELECTRIC FANS
ACCESSORIES
BODY HARDWARE
BRAKES & SUSPENSION
CLUTCH KITS
EXHAUSTS
FIXINGS
FUEL SYSTEMS & FILTERS
GAUGES
MIRRORS
POWER STEERING
SEATS & SEAT BELTS
WASHERS & WIPERS
OIL & AIR FILTERS
CARE & STORAGE
OIL, GREASE & FLUIDS
PAINT & ANTI-RUST
TOOLS

LIGHTING
SWITCHES
IGNITION
WIRING
HEATERS & ELECTRIC FANS
ACCESSORIES
BODY HARDWARE
BRAKES & SUSPENSION
CLUTCH KITS
EXHAUSTS
FIXINGS
FUEL SYSTEMS & FILTERS
GAUGES
MIRRORS
POWER STEERING
SEATS & SEAT BELTS
WASHERS & WIPERS
OIL & AIR FILTERS
CARE & STORAGE
OIL, GREASE & FLUIDS
PAINT & ANTI-RUST
TOOLS



CLASSIC BOOT RACKS

092.728 Polished stainless steel tube and guaranteed against corrosion, with three wood slats

092.729 Platform size 880mm wide x 375mm deep. Aluminium with three wood slats



SPARES

For boot racks **092.722** to **092.729**

092.747 Set of four Rubber Feet

092.748 Spare Fitting Kit as supplied with these racks (shown)

LUGGAGE STRAPS



LEATHER LUGGAGE STRAPS

Ideal for securing your picnic hamper or suitcase on your car's luggage rack. Hand stitched with brass buckles. A set comprises two straps each approx 1½ metres long x 25mm wide and a cross strap

- 090.163** Brown
- 090.166** Black
- 090.162** Tan

CROSS STRAPS

Approximately 480mm long x 25mm wide and are available separately:

- 090.165** Brown
- 090.164** Black
- 090.161** Tan

LEATHER BONNET STRAPS



LINED LEATHER BONNET STRAPS

As above but with wool lining on the inside of the strap to help reduce damage to the paintwork of your bonnet

Colour	Buckle	Width mm	Width in	Part No.
Black	Chrome	51 ³ / ₈	1½	097.791
Black	Chrome	51	2	091.766
Brown	Chrome	51 ³ / ₈	1½	097.796
Brown	Chrome	51	2	091.767
Black	Brass	51 ³ / ₈	1½	097.771
Black	Brass	51	2	097.773
Brown	Brass	51 ³ / ₈	1½	097.781
Brown	Brass	51	2	097.783



CHICAGO SCREWS & RIVETS

Fold the strap around the staple and secure with either:
Chicago Screw: male and female forming a slotted rivet look
Rivet: cap and dome type

Fitting	Material	Part No.
Chicago Screw	Nickel Plated	097.760
Chicago Screw	Brass	097.761
Rivet	Nickel Plated	097.765
Rivet	Brass	097.766
Chicago Screw	Alloy	096.300



LEATHER BONNET STRAPS

Leather strap with substantial buckle. It comes in two halves, the half with the buckle and the half with the holes to suit the buckle. As supplied the length is adjustable via the buckle from 2.055 metres (6 ft 9 in) to 1.880 metres (6 ft 2 in) but you can shorten it further by cutting and retrimming the ends

Colour	Buckle	Width mm	Width in	Part No.
Black	Chrome	32	1¼	097.720
Black	Chrome	38	1½	097.721
Black	Chrome	44	1¾	097.722
Black	Chrome	51	2	097.723
Brown	Chrome	32	1¼	097.725
Brown	Chrome	38	1½	097.726
Brown	Chrome	44	1¾	097.727
Brown	Chrome	51	2	097.728
Black	Brass	32	1¼	097.730
Black	Brass	38	1½	097.731
Black	Brass	44	1¾	097.732
Black	Brass	51	2	097.733
Brown	Brass	32	1¼	097.735
Brown	Brass	38	1½	097.736
Brown	Brass	44	1¾	097.737
Brown	Brass	51	2	097.738



STAPLES

You can fit these to a bonnet strap by folding the strap back and riveting or similar. The staple can then be fitted to the chassis. Can also be used to secure luggage straps

Material	Strap Width mm	Strap Width in	Part No.
Chrome	32	1¼	097.740
Chrome	38	1½	097.741
Chrome	51	2	097.743
Brass	32	1¼	097.745
Brass	38	1½	097.746
Brass	51	2	097.748



SHORT LEATHER STRAPS - TAN
Tan short leather straps
091.346

SHORT LEATHER STRAPS - BLACK
Black short leather straps
091.290



SHORT LEATHER STRAPS - BROWN
Brown short leather straps
091.348



BONNET STRAP - BLACK

Top Quality hand made lined leather bonnet strap to fit **Jaguar XK120** and **XK140**. These luxury bonnet straps are made from best quality Leather, hand made in England.
097.753



LINED BONNET STRAP - BROWN

Top Quality hand made lined leather bonnet strap to fit **Jaguar XK120** and **XK140**. These luxury bonnet straps are made from best quality Leather, hand made in England.
097.750



BONNET STRAP - TAN

Top Quality hand made lined leather bonnet strap to fit **Jaguar XK120** and **XK140**. These luxury bonnet straps are made from best quality Leather, hand made in England.
097.751



BONNET STRAP LINED

To fit **Austin Healey**. Brown Leather Strap 35mm wide with substantial chrome buckle and wool-like lining on the inside of the strap to help reduce damage to the paintwork on your bonnet.
090.168



CABLE FOR BONNET RELEASE

Has picture of car with bonnet up on the T handle. Length of cable 1.5 metres. Requires 9.5mm diameter hole in dash or bulkhead
060.069



DOOR CHECK STRAP - TAN LEATHER

Leather Door Check Strap 1¾ in wide by 8 in long, complete with two black staples
097.799

- LIGHTING
- SWITCHES
- IGNITION
- WIRING
- HEATERS & ELECTRIC FANS
- ACCESSORIES
- BODY HARDWARE
- BRAKES & SUSPENSION
- CLUTCH KITS
- EXHAUSTS
- FIXINGS
- FUEL SYSTEMS & FILTERS
- GAUGES
- MIRRORS
- POWER STEERING
- SEATS & SEAT BELTS
- WASHERS & WIPERS
- OIL & AIR FILTERS
- CARE & STORAGE
- OIL, GREASE & FLUIDS
- PAINT & ANTI-RUST
- TOOLS

- LIGHTING
- SWITCHES
- IGNITION
- WIRING
- HEATERS & ELECTRIC FANS
- ACCESSORIES
- BODY HARDWARE
- BRAKES & SUSPENSION
- CLUTCH KITS
- EXHAUSTS
- FIXINGS
- FUEL SYSTEMS & FILTERS
- GAUGES
- MIRRORS
- POWER STEERING
- SEATS & SEAT BELTS
- WASHERS & WIPERS
- OIL & AIR FILTERS
- CARE & STORAGE
- OIL, GREASE & FLUIDS
- PAINT & ANTI-RUST
- TOOLS



060.057
SPRING TYPE BONNET CATCH
 Nickel plated catch 136mm long
060.055
060.057 Nickel plated anchor hook for use with **060.055**



STRAIGHT TYPE BONNET CATCH
 Hook plate. Use with **060.218**
060.052



BONNET CATCH - T TYPE HANDLE
 Stainless steel. T handle at the top. Use with **060.052**
060.218



BONNET CATCH & HOOK
 As shown, body diameter 16mm (5/8"). Chromed
060.054



SENSOR FOR SPEEDO CABLE
 This sensor is for use with all RetroTrip tripmeters and all cable driven speedometers. It is necessary to cut the speedo cable outer to fit the sensor. Full instructions supplied with the unit
091.957



WHEEL SENSOR
 For use with RetroTrip tripmeters this wheel sensor normally senses the bolts holding the brake disc to a rotating hub. Can also be used to detect rotating drive shafts or drum brakes with targets attached. It will detect any metallic target and is unaffected by dirt, mud etc. Thread is M12 x 1. It requires precision fitting. Before ordering refer to **091.905**
091.958



SENSOR FOR PROPSHAFT
 Comprises two magnets with hose clamps that you fit either side of the propshaft and a sensor that must be about 5 to 15 mm from the magnets. Thread is M8 x 0.75. Comes with full fitting instructions. You may find this easier to install than **091.958** as the design can accommodate larger clearances between rotating components
091.905



BONNET CATCH & HOOK
 As shown, body diameter 13mm (1/2"). Chromed
060.053



OVER CENTRE CLIPS
 Chrome plated
060.059



LOCKABLE OVER CENTRE CLIPS
 Chrome plated. Can be locked using a padlock
060.060



COMPETITION BONNET PINS
 Suitable for bonnet or boot
060.061 (shown)
060.062 Chrome plated steel. Heavier duty than **060.061**



PLUG KIT FOR RETROTRIP
 To make the electrical work involved in fitting a RetroTrip simpler, we offer a plug kit. This allows the meter to be removed from the car when not rallying, simply by unplugging a connector from the back of it. The kit contains a fused 12 volt power connection (the black cable) and the lead to the sensor (grey), with appropriate spade connectors
091.959



PRESCALING INTERFACE FOR RETROTRIPS
 To enable you to safely drive RetroTrips from digital pulse supplies found on vehicles fitted with digitally pulsed electronic speedometers in place of other sensors. Comes with instructions
091.978



SMALL RUBBER CATCHES
 65mm overall height
060.064



LARGE RUBBER CATCHES
 125mm overall height
060.065



RECOMMENDED POWER CONDITIONER FOR RETROTRIPS & TRIPMETERS
 RetroTrip and International tripmeters require a reliable voltage source to function properly. This conditioner has been designed to provide this, especially if you car is fitted with a dynamo or is 6-volt. It connects to the battery terminals, and has an internal fuse which disconnects the power for 30 seconds and then re-connects if the unit is overloaded. It is intended to supply only a tripmeter. If you purchase one of these tripmeters we RECOMMEND that you fit this
091.976

BRANTZ TRIPMETERS

If you are thinking of entering a classic rally there are things that you will need. One of the most important will be a tripmeter and we offer a range of these, from the famous Brantz. Also we keep a whole range of competition numbers in various sizes.



INTERNATIONAL 2 S 'PRO' TRIPMETER
 This tripmeter relies on an electrical signal which is then processed electronically. It has all the features of **091.953** plus an extra readout, a 3 digit speedometer. This is automatically calculated from the distance calibration. Useful if your speedo is in miles and you need kilometres. By moving a switch this can be switched to average speed and back and forth from speed to average speed. Size 120mm x 100mm x 50mm. You will also need a Sensor either **091.957**, **091.958** or **091.905**
091.954



RETROTRIP 2 CLASSIQUE - TRIPMETER
 Approved for many historic or retrospective rallies worldwide the Retrotrip 2 Classique is classed as an electro-mechanical tripmeter, and has twin displays, total and inter, which can be zeroed independently. The Retrotrip 2 is fitted with display lenses to slightly increase the digit size. It has a 12 volt illumination. The Retrotrip 2 Classique is easily installed and easily calibrated for any vehicle, gear ratio or tyre size. Size 129mm x 70mm x 65mm. You will also need a Sensor either **091.957**, **091.958** or **091.905**
091.928



RETROTRIP 3 CLASSIQUE - TRIPMETER
 An evolution of the RetroTrip 2 Classique tripmeter, see left. This model comprises two separate tripmeters fed from a single sensor. One tripmeter drives the two counters on the top row, whilst a second drives the third readout at the bottom. The third can be calibrated to give an indication of average speed. All counters can be zeroed independently. Night lighting is from the top of the meter. You will also need a sensor please refer to **091.957**, **091.958** or **091.905**
091.956

ACCESSORIES



CLIP FOR ONE STOPWATCH
 (Left) Adjustable watch clip for single stopwatch, 55mm diameter or thereabouts. Requires 5mm hole in panel or board
091.945



MODEL C58 COMPASS
 Rugged and compact, 2.25 (58 mm) black compass card with direct reading scale. Universal bracket, enabling you to mount it vertically, horizontally, upside down or anywhere in between. Steel pivot and sapphire jewel, built-in magnetic compensators and night lighting
091.812



CLIP-ON PEN/PENCIL SLEEVES
 Two pen/pencil sleeves for clipping on to mapboards or a convenient point in the car. Know the whereabouts of your pens or pencils and have them to hand ready to use
094.372



MODEL 70UN COMPASS
 Can be mounted almost anywhere, at any angle or hand held and can be quickly removed from its bracket to take hand bearings. Can be used as a steering compass when in the bracket. Suitable for off road rallying. Supplied with full instructions
097.804

- LIGHTING
- SWITCHES
- IGNITION
- WIRING
- HEATERS & ELECTRIC FANS
- ACCESSORIES**
- BODY HARDWARE
- BRAKES & SUSPENSION
- CLUTCH KITS
- EXHAUSTS
- FIXINGS
- FUEL SYSTEMS & FILTERS
- GAUGES
- MIRRORS
- POWER STEERING
- SEATS & SEAT BELTS
- WASHERS & WIPERS
- OIL & AIR FILTERS
- CARE & STORAGE
- OIL, GREASE & FLUIDS
- PAINT & ANTI-RUST
- TOOLS

- LIGHTING
- SWITCHES
- IGNITION
- WIRING
- HEATERS & ELECTRIC FANS
- ACCESSORIES**
- BODY HARDWARE
- BRAKES & SUSPENSION
- CLUTCH KITS
- EXHAUSTS
- FIXINGS
- FUEL SYSTEMS & FILTERS
- GAUGES
- MIRRORS
- POWER STEERING
- SEATS & SEAT BELTS
- WASHERS & WIPERS
- OIL & AIR FILTERS
- CARE & STORAGE
- OIL, GREASE & FLUIDS
- PAINT & ANTI-RUST
- TOOLS



- Triangle Warning Light
090.042
- High Visibility Waistcoat Medium. Complies with EN471 - Class 2
052.278/M
- High Visibility Waistcoat Large. Complies with EN471 - Class 2
052.278/L
- High Visibility Waistcoat XL. Complies with EN471 - Class 2
052.278/XL
- Tow Rope, for towing up to 2½ tonnes
094.352
- First Aid Kit
092.260
- Fire Extinguisher 1.75 litre. 108mm dia x 373mm tall
092.301
- Headlamp Beam Deflectors
010.600
- Spill Kit
015.324
- GB Sticker
094.348



SPILL KIT
An Oil Spill Kit tailored to meet MSA regulations, designed to absorb up to 1.6 litres of oil, coolant, solvents or water. With help from the MSA this small spill kit has been designed to be carried in the vehicle. It's small and lightweight design means it can be stored away easily whilst still meeting the criteria as set by the MSA for some competition use. The kit comes complete with two 510 x 380mm Universal Mat Pads, four All Purpose Wipes, two pairs of N-Dex Gloves and one 770x470 mm Disposable Bag
015.324



JUMP LEADS
Quality Jump Leads 3 metres long. Intermittent recommended maximum of 350 amps. Extra flexible cable in oil, acid and heat resistant PVC with fully insulated metal clips. Supplied in a storage bag and with full safety and operating instructions
090.049

We strongly recommend that you have a Fire Extinguisher in your car, even if you only use it to put out a fire in the car next to you at a rally!



AFFF EXTINGUISHERS
AFFF: (Aqueous Film Forming Foam), Is a low expansion foam which forms a vapour sealing film over hydro-carbon fuels.
They are supplied with bracket and strap
1.0 litre. 92mm dia x 339mm tall **092.300**
1.75 litre. 108mm dia x 373mm tall **092.301**
2.4 litre. 108mm dia x 478mm length **092.302**



DRY POWDER FIRE EXTINGUISHER
Dry Powder Fire Extinguishers are excellent multi-purpose fire extinguishers offering protection against class A, B, C fires and safe to use on electrical fires. This Fire extinguisher is BS EN3 kitemarked and CE marked. Ideal for use to combat fires in vehicles, caravans, boats, agricultural machinery, farms, garages, in the home and offices.
2.0 litre **092.290**

THIS PRODUCT IS FOR U.K MAINLAND DELIVERY ONLY.
















FIRE SUPPRESSION SYSTEMS - FIRE STICK
The ideal fire extinguisher to always keep close. Incredibly small and light, this works on all major classes of fire leaving no damaging mess afterward. The product lasts over 10 years with no servicing needed. Easy to use and durable in all conditions, the Fire Safety Stick is completely safe and environmentally friendly. It can even be left to fight the fire while you escape to safety.

Available in two durations: 50 seconds and 100 seconds
Ideal throughout the home, for cars, boats, large caravans, and motorhomes
50 Seconds **092.352**
100 Seconds **092.353**


THIS PRODUCT IS FOR U.K MAINLAND DELIVERY ONLY

Competition Numbers are in packs of 63 digits in each pack nine number 1's and six each of all the others

 GP RACE 11" BLACK NUMBERS 091.844	 GP RACE 11" WHITE NUMBERS 091.845	 INTERNATIONAL RALLY 14" BLACK NOS. 091.840	 INTERNATIONAL RALLY 14" WHITE NOS 091.841
 RACE 7" BLACK NUMBERS 096.888	 RACE 7" WHITE NUMBERS 096.889	 RACE 9" BLACK NUMBERS 091.848	 RACE 9" WHITE NUMBERS 091.849
 SLIMLINE 11" BLACK NUMBERS 091.846	 SLIMLINE 11" WHITE NUMBERS 091.847	 STANDARD RACE 11" BLACK NUMBERS 091.842	 STANDARD RACE 11" WHITE NUMBERS 091.843



WHITE RECTANGLE
Adhesive backed' 332mm x 610mm
090.816



WHITE ROUNDEL
Roundel 18" as used for classic racing
090.819



MULTIPLE STICKER
Includes stickers for fire extinguisher, electrical cut-off, switch direction arrows, switch identification stickers, blood type(!) and union jack
090.703



SQUARE NOVICE X STICKER
If you are embarking on motorsport in the U.K. you will need to have a Novice square sticker (black X on yellow background) somewhere on the rear of your classic, racing, rallying or sports car
090.700



WHEEL SPINNER MG

Chromed Brass wheel spinner. Size 42mm/ tread 12 tpi. Fits MG 1600 De Luxe & Mk II De Luxe (no fitment) 1960-62; C-Type Midget / D-Type Midget / F1/ F2 & F3 Magna / L1 1931-34; D-Type Midget; F 1995-99; F1 Magna/ F2 Magna/ F3 Magna; Gentry (MG TA/TC Replica) 1973; J1/ J2/ J3 & J4 Midget / PA & PB Midget 1932-36; L1; LE50; Magnette ZA/ZB & Mk III/IV 1953-68; MGA 1500/ 1600 & 1600 Mk II 1955-1962; MGB Mk I/ II and III; MGB Mk I/ II and III; GT Mk I/ II/ III and Rubber Bumper 1962-80; MGB Steel Wheel Banjo Axle Conversion 1962-67; MGC & MGC GT 1967-69; Midget Mk I/ Mk II/ Mk III and 1500 1961-79; N Series Magnette 1934-36; NA/ NB & ND Magnette 1934-36; SA 1936-39; TA 1936-39; TB & TC 1945-49; TD/ TF & TF 1500 1949-55; Twin Cam (no fitment) 1958-60; VA 1936-39

060.885 Right hand side of car **060.884** Left hand side of car



WHEEL SPINNER MG

Chromed Brass wheel spinner. size 42mm/ tread 12 tpi. Fits MG 1600 De Luxe & Mk II De Luxe (no fitment) 1960-62; C-Type Midget / D-Type Midget / F1/ F2 & F3 Magna / L1 1931-34; D-Type Midget; F 1995-99; F1 Magna/ F2 Magna/ F3 Magna; Gentry (MG TA/TC Replica) 1973; J1/ J2/ J3 & J4 Midget / PA & PB Midget 1932-36; L1; LE50; Magnette ZA/ZB & Mk III/IV 1953-68; MGA 1500/ 1600 & 1600 Mk II 1955-1962; MGB Mk I/ II and III; MGB Mk I/ II and III; GT Mk I/ II/ III and Rubber Bumper 1962-80; MGB Steel Wheel Banjo Axle Conversion 1962-67; MGC & MGC GT 1967-69; Midget Mk I/ Mk II/ Mk III and 1500 1961-79; N Series Magnette 1934-36; NA/ NB & ND Magnette 1934-36; SA 1936-39; TA 1936-39; TB & TC 1945-49; TD/ TF & TF 1500 1949-55; Twin Cam (no fitment) 1958-60; VA 1936-39

060.887 Right hand side of car **060.886** Left hand side of car



WHEEL SPINNER MG

Chromed Brass wheel spinner. Fits MG 1600 De Luxe & Mk II De Luxe (no fitment) 1960-62; C-Type Midget / D-Type Midget / F1/ F2 & F3 Magna / L1 1931-34; D-Type Midget; F 1995-99; F1 Magna/ F2 Magna/ F3 Magna; Gentry (MG TA/TC Replica) 1973; J1/ J2/ J3 & J4 Midget / PA & PB Midget 1932-36; L1; LE50; Magnette ZA/ZB & Mk III/IV 1953-68; MGA 1500/ 1600 & 1600 Mk II 1955-1962; MGB Mk I/ II and III; MGB Mk I/ II and III; GT Mk I/ II/ III and Rubber Bumper 1962-80; MGB Steel Wheel Banjo Axle Conversion 1962-67; MGC & MGC GT 1967-69; Midget Mk I/ Mk II/ Mk III and 1500 1961-79; N Series Magnette 1934-36; NA/ NB & ND Magnette 1934-36; SA 1936-39; TA 1936-39; TB & TC 1945-49; TD/ TF & TF 1500 1949-55; Twin Cam (no fitment) 1958-60; VA 1936-39

060.888 Left hand side of car **060.889** Right hand side of car



WHEEL SPINNER ASTON MARTIN

Chromed brass wheel spinner. Size 52mm/ Tread 8 tpi. Fits Aston Martin 2 Litre Sports (DB1); DB2 and DB2/4 Mk I/ II & III 1948-59; DB4; DB4 Vantage; DB4 GT; DB4 Drop Head Coupé and DB4 GT Zagato 1958-63; DB5; DB5 Vantage; DB6 Mk I; DB6 Mk I Vantage and DB6 Mk I Volante 1964-69; DB6 Mk II; DB6 Mk II Vantage; DB6 Mk II Volante; DB5 and DB5 Vantage 1969-72

060.857 Right hand side of car

060.856 Left hand side of car



PLAIN WHEEL SPINNER

Chromed Brass plain three eared wheel spinner. Size 52mm/ tread 8 tpi

060.923 Right hand side of car

060.922 Left hand side of car



PLAIN WHEEL SPINNER

Chromed Steel plain three eared wheel spinner. Size 52mm/ tread 8 tpi

060.927 Right hand side of car

060.926 Left hand side of car



PLAIN WHEEL SPINNER

Chromed Brass continental style octagonal wheel spinner. Size 42mm/ tread 12 tpi

060.915 Right hand side of car

060.914 Left hand side of car



PLAIN WHEEL SPINNER - NO ENGRAVING

Chromed Brass plain two eared wheel spinner. Size 42mm/ tread 8 tpi

060.911 Right hand side of car

060.910 Left hand side of car



PLAIN WHEEL SPINNER

Chromed Brass plain three eared wheel spinner. Size 42mm/ tread 8 tpi

060.913 Right hand side of car

060.912 Left hand side of car



PLAIN WHEEL SPINNER

Chromed Brass plain two eared wheel spinner. Size 42mm/ tread 12 tpi

060.917 Right hand side of car

060.916 Left hand side of car



PLAIN WHEEL SPINNER

Chromed Brass plain two eared wheel spinner. Size 42mm/ tread 8 tpi

060.909 Right hand side of car

060.908 Left hand side of car



PLAIN WHEEL SPINNER

Chromed Brass continental style octagonal wheel spinner. Size 42mm/ tread 8 tpi

060.907 Right hand side of car

060.906 Left hand side of car



PLAIN WHEEL SPINNER

Chromed Brass plain three eared wheel spinner. Size 42mm/ tread 12 tpi

060.919 Right hand side of car

060.918 Left hand side of car



PLAIN WHEEL SPINNER

Chromed Brass continental style octagonal wheel spinner. Size 52mm/ tread 8 tpi

060.921 Right hand side of car

060.920 Left hand side of car

MWS chrome wire wheels are manufactured using the latest multi layer nickel chrome plating techniques. The rims and shells are polished to a superior finish, which is complimented with final hand polishing by highly skilled craftsmen leaving a brilliant lustre. The stainless steel spokes and nipples are electro-polished and chrome-plated to match the colour and lustre of the rims and shells. All MWS chrome wire wheels are manufactured using stainless steel spokes and nipples; Tubeless; Two year structural and cosmetic warranty; Wheel spinners are not included/sold separately



MGB & MGB GT; TRIUMPH STAG; AND SUNBEAM TIGER

Application: MGB; MGB GT; Triumph Stag; Sunbeam Tiger

060.826

Rim Size	4½" x 14"
Centre	42mm Curly
Number of Spokes	60
Finish	Chrome
Lacing	Inner & Outer
Inset (mm)	14.3
Back Spacing (mm)	84.5 (+/- 3)



AC GREYHOUND, AUSTIN HEALEY, DAIMLER DART, MGA, MG TD & TF, MORGAN

Application: AC Greyhound; Austin Healey 100/4 & 100/6; Austin Healey 3000 with disc brakes; Daimler Dart SP250; MG Magnette ZA & ZB; MGA; MG TD & TF; Morgan 4/4 & Plus 4; Reliant Scimitar GT SE4; TVR Vixen 1600

060.822

Rim Size	5" x 15"
Centre	42mm Curly
Number of Spokes	72
Finish	Chrome
Lacing	Inner & Outer
Inset (mm)	6.4
Back Spacing (mm)	83 (+/- 3)



AC, ASTON MARTIN AND MORGAN

Application: AC Cars 428 Frua & Cobra 289; Aston Martin DB5; Morgan Plus 4 (1985 onwards)

060.830

Rim Size	6" x 15"
Centre	42mm Curly
Number of Spokes	70
Finish	Chrome
Lacing	Centre
Outset (mm)	10
Back Spacing (mm)	79.5 (+/- 3)



ALVIS, DAIMLER, JAGUAR MK I & MK II, E-TYPE SERIES I, S-TYPE AND JENSEN

Application: Alvis TD/TE/TF 21; Daimler 250 V8 Saloon to late 1967; Jaguar Mk I 2.4; Mk II 2.4 / 3.4 & 3.8; E-Type Series I 3.8 & 4.2 to late 1967; S-Type 3.4 to late 1967; 420 to late 1967; Jensen 541 & CV8

060.813

Rim Size	5" x 15"
Centre	52mm Curly
Number of Spokes	72
Finish	Chrome
Lacing	Inner & Outer
Inset (mm)	20.6
Back Spacing (mm)	97 (+/- 3)



ASTON MARTIN DB 2/4 AND ASTON MARTIN DB4

Application: Aston Martin DB 2/4 with disc brakes or alloy brake drums; Aston Martin DB4

060.829

Rim Size	5" x 16"
Centre	42mm Curly
Number of Spokes	72
Finish	Chrome
Lacing	Inner & Outer
Inset (mm)	22
Back Spacing (mm)	98.5 (+/- 3)



ASTON MARTIN DB5 & DB6 MK I

Application: Aston Martin DB5 & DB6 Mk I

060.824

Rim Size	5½" x 15"
Centre	42mm Curly
Number of Spokes	72
Finish	Chrome
Lacing	Inner & Outer
Outset (mm)	22.2
Back Spacing (mm)	105 (+/- 3)

LIGHTING
SWITCHES
IGNITION
WIRING
HEATERS & ELECTRIC FANS
ACCESSORIES
BODY HARDWARE
BRAKES & SUSPENSION
CLUTCH KITS
EXHAUSTS
FIXINGS
FUEL SYSTEMS & FILTERS
GAUGES
MIRRORS
POWER STEERING
SEATS & SEAT BELTS
WASHERS & WIPERS
OIL & AIR FILTERS
CARE & STORAGE
OIL, GREASE & FLUIDS
PAINT & ANTI-RUST
TOOLS

LIGHTING
SWITCHES
IGNITION
WIRING
HEATERS & ELECTRIC FANS
ACCESSORIES
BODY HARDWARE
BRAKES & SUSPENSION
CLUTCH KITS
EXHAUSTS
FIXINGS
FUEL SYSTEMS & FILTERS
GAUGES
MIRRORS
POWER STEERING
SEATS & SEAT BELTS
WASHERS & WIPERS
OIL & AIR FILTERS
CARE & STORAGE
OIL, GREASE & FLUIDS
PAINT & ANTI-RUST
TOOLS



ASTON MARTIN DB5/VANTAGE, DB6 MK I/VANTAGE, DB6 MK I VOLANTE

Application: Aston Martin DB5; DB5 Vantage; DB6 Mk I; DB6 Mk I Vantage; DB6 Mk I Volante

060.835

Rim Size	6" x 15"
Centre	42mm Curly
Number of Spokes	72
Finish	Chrome
Lacing	Inner & Outer
Inset (mm)	118
Back Spacing (mm)	107 (+/- 3)



ASTON MARTIN DB6 MK II, DBS & VOLANTE

Application: Aston Martin DB6 Mk II; DBS; Volante

060.810

Rim Size	6" x 15"
Centre	52mm Flat (Easy Clean)
Number of Spokes	72
Finish	Chrome
Lacing	Inner & Outer
Inset (mm)	7.1
Back Spacing (mm)	96.5 (+/- 3)



AUSTIN HEALEY, DAIMLER, MORGAN, MG & TRIUMPH

Application: Austin Healey 100/4 & 100/6 with disc brakes or narrow brake drums; Austin Healey 3000 with disc brakes; Daimler Dart SP250; MG Magnette ZA & ZB; MGA; MG TD & TF; Morgan 4/4 & Plus 4; Triumph TR 2 to 5 (pre-1968); TVR Vixen 1600

060.812

Rim Size	4½" x 15"
Centre	42mm Curly
Number of Spokes	60
Finish	Chrome
Lacing	Inner & Outer
Outset (mm)	17
Back Spacing (mm)	87 (+/- 3)



AUSTIN HEALEY, LOTUS ELITE, MGA, MG TD/TF, RELIANT SABRE 4/6

Application: Austin Healey 100/4; Austin Healey 100/6; Lotus Elite; MGA; MG TD; MG TF; Reliant Sabre 4; Reliant Sabre 6; Triumph TR 2; Triumph TR 3; TVR Grantura

060.845

Rim Size	4" x 15"
Centre	52mm Curly
Number of Spokes	48
Finish	Chrome
Lacing	Outer - this wheel is laced to the outer part of the rim only and so does not require a rim band
Inset (mm)	19
Back Spacing (mm)	83 (+/- 3)



AUSTIN HEALEY 100/4 & 100/6, LOTUS ELITE, MGA, MG TD & TF, RELIANT SABRE

Application: Austin Healey 100/4; Austin Healey 100/6; Lotus Elite; MGA; MG TD; MG TF; Reliant Sabre 4; Reliant Sabre 6; Triumph TR 2; Triumph TR 3; TVR Grantura

060.819

Rim Size	4" x 15"
Centre	42mm Curly
Number of Spokes	48
Finish	Chrome
Lacing	Outer - this wheel is laced to the outer part of the rim only and so does not require a rim band
Inset (mm)	19
Back Spacing (mm)	83 (+/- 3)




AUSTIN HEALEY 100/4 100/6 3000, MGC, PANTHER KALLISTA, TRIUMPH TR6 & P1

Application: Austin Healey 100/4 & 100/6 with disc brakes or narrow brake drums; Austin Healey 3000 with disc brakes; MGC; Panther Kallista; Triumph TR6 & P1

060.820

Rim Size	5½" x 15"
Centre	42mm Curly
Number of Spokes	72
Finish	Chrome
Lacing	Inner & Outer
Outset (mm)	12.7
Back Spacing (mm)	95.5 (+/- 3)



AUSTIN HEALEY SPRITE, MG MIDGET, AND SUNBEAM ALPINE

Application: Austin Healey Sprite; MG Midget; Sunbeam Alpine

060.821

Rim Size	4" x 13"
Centre	42mm Curly
Number of Spokes	60
Finish	Chrome
Lacing	Inner & Outer
Inset (mm)	17.5
Back Spacing (mm)	81.5 (+/- 3)



BOND 1300 & GT EQUIPE MK II AND TRIUMPH HERALD/GT6/SPITFIRE & VITESSE

Application: Bond 1300 & GT Equipe Mk II; Triumph Herald / GT6 / Spitfire & Vitesse

060.823

Rim Size	4½" x 13"
Centre	42mm Curly
Number of Spokes	60
Finish	Chrome
Lacing	Inner & Outer
Inset (mm)	20.6
Back Spacing (mm)	91 (+/- 3)



ASTON MARTIN DB2/4 TRIPLE LACED
Size = 4.5" x 16" Spokes = 60

Application: Aston Martin DB2/4 Triple Laced

060.844

AC ACE/ ACECA AND BRISTOL

Size = 5.5" x 15" Spokes = 72

Application: AC Ace / Aceca and Bristol

060.842



DAIMLER, JAGUAR E-TYPE, JAGUAR S-TYPE AND VOLVO P1800F

Application: Daimler 250 V8 Saloon from 1967 onwards; Daimler Sovereign 420; Jaguar 240 and 340; Jaguar 420 from late 1967 onwards; Jaguar E-Type Series I 4.2 from late 1967 onwards; Jaguar E-Type Series I½ and II; Jaguar S-Type 3.4 from late 1967 onwards; Jaguar S-Type 3.8; Volvo P1800 and P1800S

060.838

Rim Size	5" x 15"
Centre	52mm Flat (Easy Clean)
Number of Spokes	72
Finish	Chrome
Lacing	Inner & Outer
Inset (mm)	18.3
Back Spacing (mm)	95 (+/- 3)



JAGUAR E-TYPE

Application: Jaguar E-Type

060.811

Rim Size	6" x 15"
Centre	52mm Curly
Number of Spokes	72
Finish	Chrome only
Lacing	Centre
Inset (mm)	3.2
Back Spacing (mm)	86 (+/- 3)



JAGUAR E-TYPE

Application: Jaguar E-Type

060.849

Rim Size	6" x 15"
Centre	52mm Curly
Number of Spokes	72
Finish	Chrome
Lacing	Centre
Outset (mm)	3.2
Back Spacing (mm)	86 (+/- 3)



JAGUAR E-TYPE SERIES I


Application: Jaguar E-Type Series I

060.847


Rim Size	6½" x 15"
Centre	52mm Curly
Number of Spokes	72
Finish	Chrome
Lacing	Centre
Inset (mm)	2
Back Spacing (mm)	97.5 (+/- 3)

LIGHTING
SWITCHES
IGNITION
WIRING
HEATERS & ELECTRIC FANS
ACCESSORIES
BODY HARDWARE
BRAKES & SUSPENSION
CLUTCH KITS
EXHAUSTS
FIXINGS
FUEL SYSTEMS & FILTERS
GAUGES
MIRRORS
POWER STEERING
SEATS & SEAT BELTS
WASHERS & WIPERS
OIL & AIR FILTERS
CARE & STORAGE
OIL, GREASE & FLUIDS
PAINT & ANTI-RUST
TOOLS

LIGHTING
SWITCHES
IGNITION
WIRING
HEATERS & ELECTRIC FANS
ACCESSORIES
BODY HARDWARE
BRAKES & SUSPENSION
CLUTCH KITS
EXHAUSTS
FIXINGS
FUEL SYSTEMS & FILTERS
GAUGES
MIRRORS
POWER STEERING
SEATS & SEAT BELTS
WASHERS & WIPERS
OIL & AIR FILTERS
CARE & STORAGE
OIL, GREASE & FLUIDS
PAINT & ANTI-RUST
TOOLS



JAGUAR E-TYPE SERIES II	
Application: Jaguar E-Type Series II	
060.846	
Rim Size	6½" x 15"
Centre	52mm Flat (Easy Clean)
Number of Spokes	72
Finish	Chrome
Lacing	Centre
Inset (mm)	2
Back Spacing (mm)	97.5 (+/- 3)



JAGUAR E-TYPE SERIES III V12	
Application: Jaguar E-Type Series III V12	
060.815	
Rim Size	6" x 15"
Centre	52mm Flat (Easy Clean)
Number of Spokes	72
Finish	Chrome
Lacing	Inner & Outer
Inset (mm)	20.1
Back Spacing (mm)	109.5 (+/- 3)



JAGUAR XK120, XK140, XK150	
Application: Jaguar XK120; Jaguar XK140; Jaguar XK150	
060.848	
Rim Size	6" x 16"
Centre	52mm Ribbed
Number of Spokes	72
Finish	Chrome
Lacing	Inner & Outer
Inset (mm)	8
Back Spacing (mm)	97 (+/- 3)



JAGUAR XK120/140/150	
Application: Jaguar XK120/140/150	
060.814	
Rim Size	5" x 16"
Centre	52mm Ribbed
Number of Spokes	60
Finish	Chrome
Lacing	Outer - this wheel is laced to the outer part of the rim only and so does not require a rim band
Inset (mm)	15.8
Back Spacing (mm)	92.5 (+/- 3)




JAGUAR XK120/140/150	
Application: Jaguar XK120; Jaguar XK140; Jaguar XK150	
060.839	
Rim Size	6" x 16"
Centre	52mm Ribbed
Number of Spokes	60
Finish	Chrome
Lacing	Outer - this wheel is laced to the outer part of the rim only and so does not require a rim band
Inset (mm)	8
Back Spacing (mm)	97 (+/- 3)



TRIUMPH HERALD, SPITFIRE, TR7 & VITESSE	
Application: Triumph Herald; Triumph Spitfire, Triumph TR7; Triumph Vitesse	
060.831	
Rim Size	5½" x 13"
Centre	42mm Curly
Number of Spokes	60
Finish	Chrome
Lacing	Centre
Inset (mm)	8
Back Spacing (mm)	89 (+/- 3)



TRIUMPH TR 2, TR 3A, TR 4 & 4A, TR 5, TR 6 AND TRIUMPH 250 PI	
Application: Triumph TR 2; Triumph TR 3A, Triumph TR 4 & 4A; Triumph TR 5; Triumph TR 6; Triumph 250 PI	
060.828	
Rim Size	5½" x 15"
Centre	42mm Curly
Number of Spokes	70
Finish	Chrome
Lacing	Centre
Outset (mm)	10
Back Spacing (mm)	73 (+/- 3)




MGB AND MGB GT	
Application: MGB; MGB GT	
060.825	
Rim Size	4½" x 14"
Centre	42mm Curly
Number of Spokes	60
Finish	Chrome
Lacing	Inner & Outer
Inset (mm)	14.3
Back Spacing (mm)	84.5 (+/- 3)




MG MIDGET / AUSTIN HEALEY SPRITE	
Application: MG Midget; Austin Healey Sprite	
060.836	
Rim Size	5½" x 13"
Centre	42mm Curly
Number of Spokes	60
Finish	Chrome
Lacing	Centre
Outset (mm)	1.5
Back Spacing (mm)	81.5 (+/- 3)




MG MIDGET / AUSTIN HEALEY SPRITE	
Application: MG Midget; Austin Healey Sprite	
060.843	
Rim Size	5½" x 13"
Centre	42mm Curly
Number of Spokes	60
Finish	Chrome
Lacing	Centre
Outset (mm)	1.5
Back Spacing (mm)	81.5 (+/- 3)



MORGAN PLUS 8 (1968 TO 1993)	
Application: Morgan Plus 8 (1968 to 1993)	
060.832	
Rim Size	6½" x 15"
Centre	42mm Curly
Number of Spokes	72
Finish	Chrome
Lacing	Inner & Outer
Inset (mm)	29
Back Spacing (mm)	125 (+/- 3)



MORGAN PLUS 8 (1994 ONWARDS)	
Application: Morgan Plus 8 (1994 onwards)	
060.827	
Rim Size	7" x 16"
Centre	42mm Curly
Number of Spokes	66
Finish	Chrome
Lacing	Centre
Outset (mm)	27
Back Spacing (mm)	75 (+/- 3)




MORGAN PLUS 8 (PRE-1993)	
Application: Morgan Plus 8 (pre-1993)	
060.837	
Rim Size	6" x 16"
Centre	42mm Curly
Number of Spokes	72
Finish	Chrome
Lacing	Inner & Outer
Inset (mm)	29
Back Spacing (mm)	118 (+/- 3)

MWS STAINLESS STEEL WIRE WHEELS

MWS STAINLESS STEEL WIRE WHEELS are manufactured using state of the art technology and are made of superior Authentic grade stainless steel that has excellent protection against corrosion. The Stainless Steel rims and shells are polished to a superior natural finish and hand polished by highly skilled craftsmen. Spokes and nipples are electro polished to match the lustre and colour of the rims and shells. The Wheels are specially treated as a final process to retain the lustre and colour. All MWS chrome wire wheels are manufactured using stainless steel spokes and nipples; Tubeless unless specified as tubed; Two year structural and cosmetic warranty; Wheel spinners are not included but sold separately



MORGAN PLUS 8 (2002 ONWARDS)	
Application: Morgan Plus 8 (2002 onwards) NOTES: Due to the positioning of the centre in relation to the rim you will require an extra deep wooden spinner saver	
060.834	
Rim Size	6" x 16"
Centre	42mm Curly
Number of Spokes	66
Finish	Stainless steel
Lacing	Centre
Outset (mm)	9
Back Spacing (mm)	80 (+/- 3)



MORGAN PLUS 8 (2002 ONWARDS)	
Application: Morgan Plus 8 (2002 onwards) NOTES: Due to the positioning of the centre in relation to the rim you will require an extra deep wooden spinner saver	
060.834	
Rim Size	6" x 16"
Centre	42mm Curly
Number of Spokes	66
Finish	Stainless steel
Lacing	Centre
Outset (mm)	9
Back Spacing (mm)	80 (+/- 3)



FOR JAGUAR E-TYPE SERIES I	
Application: Jaguar E-Type Series I	
060.817	
Rim Size	6½" x 15"
Centre	52mm Curly
Number of Spokes	72
Finish	Stainless steel
Lacing	Centre
Inset (mm)	2
Back Spacing (mm)	97.5 (+/- 3)



FOR JAGUAR E-TYPE SERIES II	
Application: Jaguar E-Type Series II	
060.816	
Rim Size	6½" x 15"
Centre	52mm Flat (Easy Clean)
Number of Spokes	72
Finish	Stainless steel
Lacing	Centre
Inset (mm)	2
Back Spacing (mm)	97.5 (+/- 3)



FOR JAGUAR XK120/140/150	
Application: Jaguar XK120/140/150	
060.818	
Rim Size	6" x 16"
Centre	52mm Ribbed
Number of Spokes	72
Finish	Stainless steel
Lacing	Inner & Outer
Inset (mm)	8
Back Spacing (mm)	97 (+/- 3)

MWS SILVER PAINTED WIRE WHEELS

MWS SILVER PAINTED WIRE WHEELS are primer coated using Cathodic Electrophoretic technology. This increases the corrosion resistance to very high levels. A topcoat of silver ash or black follows this. The paint system provides salt spray resistance of 840 Hrs when tested and evaluated on panels as per ASTM B117. All MWS chrome wire wheels are manufactured using stainless steel spokes and nipples; Tubeless unless specified as tubed; Two year structural and cosmetic warranty; Wheel spinners are not included but sold separately



ROVER P6 2000 & 3500 V8	
Application: Rover P6 2000; Rover 3500 V8	
060.840	
Rim Size	5" x 14"
Centre	52mm Curly
Number of Spokes	72
Finish	Silver-painted only
Lacing	Inner & Outer
Inset (mm)	21.5
Back Spacing (mm)	98 (+/- 3)
Tubed/Tubeless?	Tubed - the application of sealant does not make a tubed wheel tubeless



AC ACE/ACECA AND BRISTOL	
Application: AC Ace; AC Aceca; AC Bristol	
060.841	
Rim Size	4½" x 16"
Centre	42mm Curly
Number of Spokes	56
Finish	Silver-painted
Lacing	Inner & Outer
Outset (mm)	23.6
Back Spacing (mm)	47 (+/- 3)
NOTES: We recommend the use of stick-on balance weights on the rear of the rim for this wheel and please use our KAS42-WOOD-REV spinner savers.	



AUSTIN HEALEY 100/4 & 100/6	
Application: Austin Healey 100 / 4 (BN1 & BN2); Austin Healey 100 / 6 (BN4 & BN6); Austin Healey 3000 Mk I, II III (BN7, BT7, BJ7 & BJ8)	
060.833	
Rim Size	4½" x 15"
Centre	42mm Curly
Number of Spokes	72
Finish	Silver-painted
Lacing	Inner & Outer
Inset (mm)	19
Back Spacing (mm)	89 (+/- 3)

PRO CLASSIC MK1 CORTINA RACING WHEEL



The PRO CLASSIC is a dedicated **MK1 Cortina** race wheel suitable for the **Lotus Cortina**. Heat treated and specifically engineered for optimum strength and weight reduction, the PRO CLASSIC is perfectly

suited to the rigours of modern historic motorsport and at just over 3kg is as light as any magnesium variants on the market. Size 5.5x13. FIA Approved
060.928

LIGHTING
SWITCHES
IGNITION
WIRING
HEATERS & ELECTRIC FANS
ACCESSORIES

BODY HARDWARE
BRAKES & SUSPENSION
CLUTCH KITS

EXHAUSTS
FIXINGS
FUEL SYSTEMS & FILTERS

GAUGES
MIRRORS
POWER STEERING

SEATS & SEAT BELTS
WASHERS & WIPERS

OIL & AIR FILTERS
CARE & STORAGE

OIL, GREASE & FLUIDS
PAINT & ANTI-RUST
TOOLS